



System Menu 1.Information 2.Settings 3.Tests 4.Memory 5.Power 6.Load Program 7.Bluetooth Menu 8.Next Page

8500 series

Flexible, accurate, and easy to use, the 8500 Series gives you the right data capture tools, so you can make smarter decisions for your business.

The 8500 Series captures data effectively with both RFID and barcode reading capability, and communicates wirelessly in three different ways to your corporate information system.

Designed to interface with any operating system, the 8500 Series is the most versatile, efficient, mobile computer available.

8500 series

Industrial Mobile Computer



Industrial / Manufacturing

From paper products to electronics, pharmaceuticals, and automobiles, the 8500 Series helps streamline your workflows and puts timely information in front of the people who need it to make the best choices that drive a successful business. Throughout receiving and inspection, WIP, QA, and shipping, the 8500 Series gives all your processes a flexible, reliable data capture tool. Workers will appreciate its rugged, yet comfortable design, long battery life, and flexible data capture capabilities

Transportation / Logistics

What could be better than getting the right goods to the right place, delivered on-time? Knowing every step along the way their location, movement, condition, and delivery status. The 8500 Series is your key to logistics and transportation success by keeping you informed with more accurate data for scheduling, dispatching, shipping, receiving, and route accounting. A rugged device with flexible data capture, this mobile, handheld computer is easy to use, and combines powerful computing with long battery life and communications options to transmit data to where it's needed, when it's needed.

Two readers for today and tomorrow

Designed for barcode reading and RFID interrogation, the 8500 Series helps you benefit from today's AIDC applications, plus prepares you for more comprehensive RFID tagging possibilities in the future. The 8500 Series gives your operations the capabilities to build a better business today and tomorrow.

When Windows® is not required

The best decisions you make for your business put the right functionality in the hands of workers. Many applications don't need Windows for easy data capture and entry. Those are the work environments ideal for the 8500 Series.

Windows requires more computing energy than text-based systems, resulting in shorter battery life. For longer operating periods, the 8500 Series text-based OS puts a lighter load on the processor, extending battery operation up to 400 hours.

Familiar VT100/220 and TN5250 terminal emulation, a 27-key keypad and a large, multi-font, LCD touchscreen displaying up to 19 lines of text make the 8500 Series easy to use and easy to read inside and outside. The 8500 Series adds powerful, wireless data management in any enterprise operating system environment.

Wide acceptance, broad application

Retail, manufacturing, professional service, government agency, and healthcare industries have benefited from CipherLab's innovative designs, comfortable ergonomics, ruggedness, features, and value in their mobile computer products.







Flexible, powerful, effective data collection that fits your infrastructure and works with you

BUILT STRONG FOR EXTREME ENVIRONMENTS

Bumps, drops, cold, heat, humidity and constant use. These are the reasons we designed the 8500 Series for the most extreme treatment. It can withstand harsh abuse, extreme operating conditions (there's even an optional heater), and dusty, wet environments-and continue to deliver the performance you need.

PERFECT FOR ENTERPRISE-WIDE SYSTEM SOLUTIONS

Designed around industry-leading computing technology, the 8500 Series delivers maximum computing power for your applications. Its CompactFlash[®] slot enables GSM/GPRS capabilities or memory expansion to increase flexibility and expandability for large system applications.

THERE WHEN YOU NEED IT

The 8500 Series keeps working day and night with efficient energy usage and long battery life. Its 4000 mAh battery works through multi-shift operations between recharges, with up to 400 hours of use in batch mode and 32 hours using WLAN1. A backup battery protects data during battery replacement.

THE RIGHT TOOL AT THE RIGHT TIME AND THE RIGHT PLACE

Built to work the way you do, the 8500 Series integrates a range of communications options. 802.11b WLAN enables instant wireless communications with backend systems. GSM/GPRS WWAN gives you maximum productivity in the field to update enterprise databases from anywhere. Bluetooth Class 2 puts more information in more places wherever and whenever you need it. Plus, USB, modem and Ethernet-enabled cradles give you limitless options for communications.

EASY LABEL READING - AT ANY DISTANCE

Long- and extra-long-range lasers boost productivity and accelerate all reading activities, from as close as 5 cm (2 in.) up to 13 meters (43 ft.) away. Laser and linear imager options allows ideal adaptation to your environment and requirements.

The 8500 Series reads a wide range of codes, including the latest 2D symbologies. Increasingly used where small label size and large amounts of data are desired, 2D codes allow high-data density in such applications as small item tracking, electronic component marking, portable data files, Material Data Safety Sheets or secure personal identification such as drivers licenses.



CIPHERLAB PRODUCTS ARE VALUED WORLDWIDE FOR ENGINEERING EXCELLENCE. THE 8500 SERIES IS ANOTHER EXAMPLE OF TECHNICAL INNOVATION AND QUALITY VALUE FOR TODAY'S AIDC SOLUTIONS.







SPECIFICATIONS

8500 series

Industrial Mobile Computer

0500

0570

0 5 0 0



		8500	8570	8580	8590	A C (CESSORIES	
Performance	CPU	32-bit CMOS						
	Memory	2MB Flash ROM 2MB, 6MB, 10MB SRAM						
	Operating power	Removable, rechargeable 3.7 V 4000 mAh Li-ion battery						
		Adapter: AC 110 V / 220 V input DC 6 V / 3.3 A output via cradle						
	Working hours ¹	400 hours batch mode 70 hours WLAN mode				Charging &	Travel Cradle	
	Backup power	3.0 V 7.0 mAh Lithium battery / Data sustained 1 week minimum				Communication Cradle USB clien	i it / USB host / Ethernet	
	Alerts	Programmable LED, buzzer, vibrator						
Wireless communication	WLAN	-	Wi-Fi 802.11b/g $(350 \text{ m line of sight})^2$	_	Wi-Fi 802.11b/g (350 m line of sight) ²			
	WWAN	_	_	GSM/GPRS	GSM/GPRS			
	WPAN	Bluetooth [®] Class 2						
	Serial	IR / IrDA (115.2 bps)				~		
Data Capture	Barcode scanning	Linear imager / Laser / Long range laser / Extra long range laser / 2D imager					nicle Cradle	
	RFID reader/writer	Frequency: 13.56 MHz Supported tags: ISO 14443A, ISO 14443B, ISO 15693, ICODE				DC	12~48V input	
Physical Characteristics	Display	3.0" 160 x 160 pixels, touch screen, white LED backlit, heater option				_ 🔪	Desta	
		26 characters x 19 lines small font or 20 characters x 9 lines large font						
	Keypad	24 / 44 alphanumeric keys, LED backlit				_		
	LED	Dual color: green, red				4-Slot E	Battery Charger	
	Size (L x W x H) Weight	230 x 91 x 63 mm / 9.1 x 3.6 x 2.5 in. 600 g / 21.2 oz. configuration dependent						
User Environment	Operating temperature	-20°C to 60°C -4°F to 140°F	-10°C	to 60°C / 14°F to	140°F			
	Storage temperature	-30°C to 70°C / -22°F to 158°F				Y Y		
	Humidity	5% to 95% non-condensing				Pr	elt Holster	
	Impact resistance	Multiple 1.5 m (5 ft.) drops onto concrete, 5 drops on each side / IP64						
	Electrostatic discharge	± 8 kV direct electrostatic discharge						
	EMC regulation	CE / FCC / C-Tick / MIC / TELEC / DGT / BSMI / RSS-210						
Programming		C, BASIC, Windows [®] based Application Generator						
Terminal emulation		VT100/220 and TN5250					目と	
Communication cradle		RS232 / USB / 56 Kbps modem / Ethernet						
Accessories		4-slot battery charger, vehicle cradle, belt holster, protective cover, pistol grip				Prot	ective Cover	
	Warranty	1 year						

¹ Based on one standard laser scan per five seconds with backlight on ² Effective coverage depends on user environment and equipment deployment. It is highly recommended to conduct a site survey before actual deployment.

Pistol Grip

CERT DIN EN ISO 9001

©2006 CipherLab Co., Ltd. All specifications are subject to change without notice. All rights reserved. Windows is a trademark or registered trademark of Microsoft Corporation in the United States and/or other countries and is used by CipherLab under license from owner. Other trademarks and trade names are those of their respective owners.



HEADQUARTERS

CipherLab Co., Ltd. 12F, 333 Dunhua S. Rd., Sec. 2 Taipei, Taiwan 106 Tel +886 2 8647 1166 Fax +886 2 8732 2255 www.cipherlab.com

CipherLab China Suite 1305, 1065A, Jaojiabang Rd. Xuhui District, Shanghai, China 200030 Tel +86 21 3368 0288 Fax +86 21 3368 0286

CipherLab USA 2552 Summit Avenue Plano, Texas USA 75074 Tel +1 469 241 97799 Toll Free 888 300 9779 Fax +1 469 241 0697 CipherLab EMEA Airedale House Clayton Wood Rise Leeds, LS16 6RF, UK Tel +44 113 274 7823 Fax +44 113 274 7822